

# Grizzly<sup>®</sup> Rotary Cutter Components



## 4 x 8 Solid Laminated Tailwheels

Part #	O.D	Width	Rim Color	Bolt Pattern	Weight
10414	15-3/8"	3-3/4"	White	(4)1/2" on 5"	23 lbs
40117	15-3/8"	3-3/4"	Black	(4)1/2" on 5"	23 lbs
85488	15-3/8"	3-3/4"	Black	(4)1/2" on 5"	23 lbs



## 4 x 8 Solid Laminated Tailwheel w/ Hub (Assembled)

Part #	O.D	Width	Hub	Bolt Pattern	Weight
85491	15-3/8"	3-3/4"	Fabricated- 3/4" Bushing	(4)1/2" on 5"	27 lbs
85490	15-3/8"	3-3/4"	Fabricated- 1" Bushing	(4)1/2" on 5"	27 lbs



## 4 x 8 Solid Laminated Tailwheel Complete Assembly

Part #	Hub Info:	Bolt Pattern	Shank Diameter	Axle	Weight
86804	fabricated w/ sintered bushing & grease zerk	(4)1/2" on 5"	1-1/4"	1" axle bolt w/ castle nut & cotter pin	41 lbs.



## 6 x 9 Solid Laminated Tailwheels

Part #	O.D	Width	Rim Color	Bolt Pattern	Weight
48820	20-3/4"	5-3/4"	Black	(4)1/2" x 5"	64 lbs
32443	20-3/4"	5-3/4"	Black	(5)1/2" x 5.5"	64 lbs

# Grizzly<sup>®</sup> Rotary Cutter Components



## Tailwheel Forks

Part #	Shank Diameter	Mounting Hole	Axle	Fork Internal Width
63739	1-1/4"	17/32"	1"	5.51"
63740	1-1/4"	17/32"	3/4"	5.51"
63741	1-1/2"	17/32"	1"	5.51"



## Hub & Spindle- Completely assembled "Dust Cap Included"

Part#	Hub Type	Bolt Pattern	Fits Tailwheel #
74964	Cast- Bearing 1"	(5)1/2" x 5.5"	32443



## Fabricated Hubs w/ Oilite Bushings

Part #	Description	To Fit	Bolt Pattern
49324	Fabricated Hub w/ Oilite Bushing	1" Axle	(4)1/2" x 5"
49642	Fabricated Hub w/ Oilite Bushings	3/4" Axle	(4)1/2" x 5"
49643	Replacement 1" Oilite Bushing		
49644	Replacement 3/4" Oilite Bushing		



## Cast Hub- Bearing Type

Part #	Description	To Fit	Bolt Pattern
40246	Cast Hub w/ 1" Bearings	1" Axle	(4)1/2" x 5"
17931	Replacement Bearing		
17933	Replacement Race		
25678	Replacement Seal		



## Finishing Mower Wheel Assembly (As shown in the picture)

Part #	Shank Dia.	Clip Pin Hole Dia.	Segmented Bushing
84331	.95"	.192"	1/4", 1/2", 1", 1-1/4"

*Includes bearings and segmented bushing*

## Solid Rubber Tire Only

Part #	Description	Axle
83778	8.25" x 3.15" solid rubber tire	1/2"



## 4' Rotary Cutter Blade

Part #	Length	Width	Thickness	Offset	Spin Direction	Bolt Diameter	Origin
10521	18"	3"	1/2"	2"	CCW	1-1/2"	Italy

## 5' Rotary Cutter Blade

Part #	Length	Width	Thickness	Offset	Spin Direction	Bolt Diameter	Origin
10522	24-1/2"	3"	1/2"	2"	CCW	1-1/2"	Italy
90263	24-1/2"	3"	1/2"	2"	CCW	1-1/2"	U.S.A

## 6' Rotary Cutter Blade

Part #	Length	Width	Thickness	Offset	Spin Direction	Bolt Diameter	Origin
10523	30"	3"	1/2"	2"	CCW	1-1/2"	Italy

## 5' Rotary Cutter Blade

(to fit- Howse Rotary Cutter) ( LML420 )

Part #	Length	Width	Thickness	Offset	Spin Direction	Bolt Diameter	Origin
89836	24-1/2"	3"	1/2"	2-1/4"	CCW	1-1/2"	U.S.A

## 6' Rotary Cutter Blade

(to fit- Howse Rotary Cutter) ( HL422 )

Part #	Length	Width	Thickness	Offset	Spin Direction	Bolt Diameter	Origin
89837	27-1/2"	3-1/2"	1/2"	2"	CCW	1-1/2"	U.S.A



## Blade Bolt Kit - Square Shoulder

(to fit- Howse Rotary Cutter)

Part #	O.A. Length	Shoulder Dia. x Thickness	Thread
49330	3-1/2"	1-1/2" x 1/2"	1-1/8"-12 UNF

Kit contains (1)BB-75 Blade Bolt, (1) Lock Washer, and (1) Jam Nut



## Blade Bolt Kit w/ Keyway

Part #	O.A. Length	Shoulder Dia. x Thickness	Thread
49327	2-1/2"	1-1/2" x 1/2"	1-1/8"-12 UNF

Kit contains (1)BB-55 Blade Bolt, (1) Lock Washer, and (1) Jam Nut



## Stump Jumper (to fit 40hp Gearbox)

Part #	Hub Diameter	Outside Diameter	Hole Spacing
89742	1-1/2"-12 Spline	20-1/4"	13.5"

## Stump Jumper (to fit 75hp Gearbox)

Part #	Hub Diameter	Outside Diameter	Hole Spacing
90572	2"- 15 Spline	20-1/4"	13.5"

# Grizzly<sup>®</sup> Rotary Cutter Gearboxes



## Gearbox Shielding

Part #	Description
101784	Gearbox Shield to fit shearbolt PTO
101785	Gearbox shield to fit PTO w/ slip clutch up to 180mm in diameter
104789	Extra Large Gearbox shield to fit PTO w/ slip clutch up to 200mm in diameter



## 40 HP- Round Style Gearboxes

**\*Hub & Breather Plug Included\***

Part Number	Input	Output	Ratio
87854	1-3/8" Smooth	1-1/2" 12 Spline	1:1:47
89007	1-3/8" Smooth	1-1/2" 12 Spline	1:1:92
87855	1-3/8" 6 Spline	1-1/2" 12 Spline	1:1:47
Mounting Pattern: (4) 5/8" holes - 6-3/4" pattern- 5" center			



## 75 HP - Round Style Gearboxes

**\*Hub & Breather Plug Included\***

Part Number	Input	Output	Ratio
87856	1-3/8" Smooth	2" 15 Spline	1:1:46
87857	1-3/8" 6 Spline	2" 15 Spline	1:1:46
Mounting Pattern: (4) 3/4" holes - 8" pattern - 5.5" center			



## 90 HP- Square Style Gearboxes

**\*Hub & Breather Plug Included\***


Part Number	Input	Output	Ratio
89751	1-3/8" 6 Spline	2" 15 Spline	1:1:46
89753	1-3/4" 20 Spline	2" 15 Spline	1:1:46
Mounting Pattern: (4) 3/4" holes - 8" pattern - 5.5" center			



## 125 HP- Tall Square Style Gearboxes

**\*Hub & Breather Plug Included\***

Part Number	Input	Output	Ratio
106488	1-3/8" 6 Spline	2" 15 Spline	1:1:46
Mounting Pattern: (4) 3/4" holes - 8" pattern - 5.5" center			



## 100 HP T-Box

**\*For 8' & 10' dual spindle mowers\***

Part Number	Input	Output	Ratio
87858	1-3/8" 6 Spline	1-3/8" 6 Spline	1:1
89752	1-3/8" 6 Spline	1-3/8" 6 Spline	1:1.21
Mounting Pattern: (4) 5/8" holes - 6" across x 3-1/4" side by side			

